

# PECO

# RAILWAY MODELS

February '88

# PRICE LIST 8p

MANUFACTURED BY:

© THE PRITCHARD PATENT PRODUCT CO. LTD.  
BEER, SEATON, DEVON, EX12 3NA, ENGLAND.

Tel: SEATON (0297) 21542

Telex 42603 CHAMCO G - Prefix message 'PECO'

**A Recommended Retail Price excluding V.A.T.**

**B Recommended Retail Price including V.A.T.**

★ Stars in money column indicate new Products not yet available

Radii, Length, Quantities, etc. are approx: only

FOR PRODUCTS COMPLEMENTARY TO THE PECO RANGE SEE THE PPP MODEL RAILWAY PRODUCTS CATALOGUE & PRICE LIST

## PECO Z

### STREAMLINE

The Universal flexible trackage system

		CONTENTS OF PACK	A £p	B £p
C12	SL-200X	Track (24" - 60.9cm)		
Cd12	SL-210X	Wooden sleeper type, Nickel/S rail	1.49	1.72
		Rail Joiners - Nickel Silver	24 .60	.69
		<b>Ballast Inlay</b>		
S	SL-250	Track Roll 5 metres	2.41	2.77
		<b>To fit Marklin Turnouts</b>		
S	SL-259	Long Crossing (Marklin 8559)	1.25	1.44
S	SL-260	Double Slip (Marklin 8560)	1.25	1.44
S	SL-261	R/H and L/H Turnouts (Marklin 8561/8564)	1 each 1.25	1.44
S	SL-267	R/H and L/H Curved Turnouts (8567)	1 each 1.25	1.44
		<b>LINESIDE KITS</b>		
P3	ZK-231	Tunnel Mouths & Walls-stone type-single track	2 1.44	1.66
P3	ZK-232	Tunnel Mouths & Walls-stone type-double track	2 1.53	1.76
P3	ZK-233	Road Bridge sides & Walls-stone type-single track	2 1.44	1.66
P3	ZK-234	Road Bridge sides & Walls-stone type-double track	2 1.53	1.76
	ZK-245	Flexible Field Fencing	*	*

## PECO N

### USEFUL AIDS

Turnout and Crossing Plans

British N Scale Rule

P6	NS		FREE	FREE
			.50	.58
		<b>SETRACK</b>		
		The simple unit trackage system		
S	IN-1	Setrack Planbook	1 .60	.60
		<b>Straight Track</b>		
P16	ST-1	Standard Unit approx 3 <sup>7</sup> / <sub>16</sub> " long	1 .42	.48
P16	ST-2	Short Unit approx 2 <sup>3</sup> / <sub>16</sub> " long	1 .35	.40
		<b>Curved Track</b>		
P16	ST-3	No. 1 Rad Standard Unit approx. 3 <sup>9</sup> / <sub>16</sub> " long	1 .42	.48
P16	ST-4	No. 1 Rad Half Unit approx 1 <sup>3</sup> / <sub>4</sub> " long	1 .35	.40
		<b>Turnouts</b>		
S	ST-5	R/H small rad: Insulfrog	1 3.39	3.90
S	ST-6	L/H small rad: Insulfrog	1 3.39	3.90
		<b>Crossing</b>		
S	ST-7	Short (25° angle) Insulfrog	1 3.39	3.90
		<b>Accessories</b>		
P6	ST-8	Buffer Stop, sleeper built type	2 .50	.57
P6	ST-9	Power connecting clips	4 .78	.90

### CONTENTS OF PACK

A  
£p B  
£p

### STREAMLINE

The Universal flexible trackage system

Standard Track (36" 91.4 cm)

Wooden sleeper type, Nickel/S rail

Concrete sleeper type, Nickel/S rail

Super Track (36" 91.4 cm)

Wooden sleeper type, Nickel/S rail

UNIVERSAL Insulfrog Turnouts N/S rail

C25	SL-300X	1	1.04	1.20
C25	SL-302X	1	1.04	1.20
C30	SL-300XX	1	1.22	1.40
S	SL-384X	1	2.39	2.75
S	SL-385X	1	2.39	2.75
S	ST-5 & 6			
S	SL-391X	1	3.48	4.00
S	SL-392X	1	3.48	4.00
S	SL-397X	1	3.48	4.00
S	SL-388X	1	4.22	4.85
S	SL-389X	1	4.22	4.85
S	SL-386X	1	4.22	4.85
S	SL-387X	1	4.22	4.85
S	ST-7			
S	SL-394X	1	3.70	4.25
		<b>Crossings</b>		
		Short (25° angle) see SETRACK		
		Long (8° angle)		
		<b>UNIVERSAL Electrofrog Turnouts N/S rail</b>		
S	SL-E391X	1	3.57	4.10
S	SL-E392X	1	3.57	4.10
S	SL-E397X	1	3.57	4.10
S	SL-E388X	1	4.30	4.95
S	SL-E389X	1	4.30	4.95
S	SL-E386X	1	4.30	4.95
S	SL-E387X	1	4.30	4.95
		<b>Ballast Inlay Units</b>		
S	SL-350	Track Rolls 5 metres	1.78	2.05
S	SL-361	R/H Catch	2 .76	.87
S	SL-362	L/H Catch	2 .76	.87
S	SL-348	R/H small rad: SETRACK	2 1.10	1.26
S	SL-349	L/H small rad: SETRACK	2 1.10	1.26
S	SL-351	R/H med: rad:	2 1.10	1.26

**Peco N continued**

			CONTENTS OF PACK	A £p	B £p
S	SL-352	L/H med: rad:	2	1.10	1.26
S	SL-353	Y med: rad:	2	1.10	1.26
S	SL-368	R/H large rad: and curved	2	1.10	1.26
S	SL-369	L/H large rad: and curved	2	1.10	1.26
S	SL-354	Short crossing - SETRACK	2	1.10	1.26
S	SL-370	Long crossing	2	1.10	1.26
<b>Accessories</b>					
Cd12	SL-14	Pins for fixing track and Turnouts	7 gm. (1/4 oz)	.39	.45
Cd12	SL-310X	Rail Joiners - Nickel Silver	24	.55	.63
Cd12	SL-311	Rail Joiners - Insulated	12	.55	.63
Cd6	SL-330	Decoupler	2	.44	.50
Cd6	SL-340	Buffer stop - Rail built type	2	.45	.52
	ST-8	Buffer stop - Sleeper built type see SETRACK			
	SL-342	Buffer stop - American style		*	*
Bag 24	SL-336	6ft. Way Gauge	1	.05	.06
Cd6	SL-345	A. W. S. Ramp		.56	.64

**Motor for Turnouts, Switches, etc. see PECO ELECTRICS section**

**LOCOMOTIVES**

**Assembled, ready-to-run**

S	NL-21	4-6-0 Tender Locomotive (Jubilee) Mk. III L.M.S. - Black livery	1	37.78	43.45
S	NL-22	4-6-0 Tender Locomotive (Jubilee) Mk. III L.M.S. - Maroon livery	1	40.87	47.00
S	NL-51	Brushes and Springs for Jubilee motor (Direct from Peco Technical Advice Bureau only)	2 pr.	.44	.50

**LOCOMOTIVE BODY KITS**

**White metal cast body parts**

S	NL-3	B.R. Hymek Bo-Bo diesel	1	9.13	10.50
S	NL-5	B.R. 0-4-0 Side tank	1	5.43	6.25
S	NL-6	0-4-0 Peckett Saddle tank	1	8.04	9.25
S	NL-7	0-4-0 M.W. type Saddle tank	1	5.43	6.25

**QUALITY LINE WAGONS**

**Painted and lettered - Ready-to-run**

**CLEAN FINISH SERIES**

**Railway Company - roft. Wheelbase**

S	NR-39E	Bolster Wagon - N.E. - Bauxite	Pair	3.74	4.30
S	NR-39M	Bolster Wagon - L.M.S. - Light Grey	Pair	3.74	4.30
S	NR-40M	Mineral-5 plank L.M.S. - Light Grey	1	1.78	2.05
S	NR-40W	Mineral-5 plank G.W. - Dark Grey	1	1.78	2.05
S	NR-40S	Mineral-5 plank S.R. - Brown	1	1.78	2.05
S	NR-41S	Coal-7 plank S.R. - Brown	1	1.78	2.05
S	NR-41M	Coal-7 plank L.M.S. - Light Grey	1	1.78	2.05
S	NR-41W	Coal-7 plank G.W. - Dark Grey	1	1.78	2.05
S	NR-44E	Coal-Butterley Steel type - N.E. - Bauxite	1	1.78	2.05
S	NR-44W	Coal-Butterley Steel type - G.W. - Dark Grey	1	1.78	2.05
S	NR-44B	Coal-Butterley Steel type - B.R. - Mid Grey	1	1.78	2.05
S	NR-42E	Box Van - Refrigerator type N.E. - White	1	1.78	2.05
S	NR-42S	Box Van - Banana - S.R. - Cream	1	1.78	2.05
S	NR-42R	Railfreight Box Van B.R. - Red/Grey	1	2.00	2.30
S	NR-43W	Box Van - Standard type G.W. - Dark Grey	1	1.91	2.20
S	NR-43E	Box Van - Standard type N.E. - Brown	1	1.91	2.20
S	NR-43M	Box Van - Standard type L.M.S. - Light Grey	1	1.91	2.20
S	NR-43B	Box Van - Standard type B.R. - Brown	1	1.91	2.20
S	NR-45M	Cattle Truck L.M.S. - Light Grey	1	1.01	2.20

**CONTENTS OF PACK**

**A  
£p      B  
£p**

			CONTENTS OF PACK	A £p	B £p
<b>WAGON KITS</b>					
<b>Complete - but with bodies self coloured unpainted and unlettered</b>					
<b>roft. Wheelbase</b>					
S	KNR-20	Conflat - 1 Plank	1	1.50	1.72
S	KNR-39	Bolster Wagon	Pair	1.61	1.85
S	KNR-40	Open Wagon-5 Plank	1	1.00	1.15
S	KNR-41	Open Wagon-7 Plank	1	1.00	1.15
S	KNR-44	Open Wagon-Butterley Steel type	1	1.00	1.15
S	KNR-42	Box Van-Refrigerator type	1	1.13	1.30
S	KNR-43	Box Van-Standard type	1	1.13	1.30
S	KNR-45	Cattle Truck	1	1.13	1.30
S	KNR-48	Brake Van-L.M.S.-type	1	1.17	1.35
S	KNR-49	Brake Van-N.E.-type	1	1.17	1.35
S	KNR-P167	Tank Wagon	1	1.43	1.65
S	KNR-P120	Salt Wagon	1	1.04	1.20
<b>15ft. Wheelbase</b>					
S	KNR-4	Open Wagon-Bolster	1	1.13	1.30
S	KNR-5	Open Wagon-Plate	1	1.00	1.15
S	KNR-7	Open Wagon-Tube	1	1.00	1.15
S	KNR-10	Open Wagon-Tarpaulin	1	1.13	1.30
S	KNR-8	Box Van-Pallet	1	1.13	1.30
S	KNR-9	Box Van-Parcels and Fish	1	1.13	1.30
S	KNR-P50	Tank Wagon	1	1.52	1.75
S	KNR-P67	Grain Whisky Wagon	1	1.52	1.75
S	KNR-28	Brake Vans-N.E. and B.R. type	1	1.30	1.50
S	KNR-29	Brake Van-S.R. type (kit only)	1	1.70	1.95

**WAGON LOADS**

**Suitable for roft. and 15ft. open wagons**

P3	NR-200	Sand-Natural-Buff	4	.65	.75
P3	NR-200R	Sand-Red/Brown-Devon etc.	4	.65	.75
P3	NR-200W	Sand-White/Grey-China Clay/Lime etc.	4	.65	.75
P3	NR-201	Coal-Natural-Black (also as coke)	4	.65	.75
P3	NR-201G	Granite-Grey-Ballast etc.	4	.65	.75
P3	NR-201R	Granite-Red-Ironstone etc.	4	.65	.75
P3	NR-202	Bricks-Red	4	.65	.75
P3	NR-202T	Bricks-Terra-cotta	4	.65	.75
P3	NR-202B	Bricks-Blue	4	.65	.75
P3	NR-203	Timber-Natural	4	.65	.75
P3	NR-204	Barrels-Dark Brown	4	.65	.75
P3	NR-205	Crates-Timber colour	4	.65	.75
P6	NR-206	Coke extension boards to fit 7 plank wagons	4	.48	.55
P3	NR-207	{ Container only-Furniture Removals-G.W.R. } { Container only-Furniture Removals-L.M.S. }	2	3.04	3.50
P3	NR-208	{ Container only-Furniture Removals-B.R. } { Container only-LEP Transport Depository Ltd }	2	3.04	3.50
P3	NR-209	{ Container only-Raleigh Cycles } { Container only-Lyons Tea }	2	3.04	3.50

**WAGON ACCESSORIES**

**Chassis, wheels, couplings, pocket plugs & weight**

P6	NR-123	Wagon type roft. wheelbase - Wooden type	1	.74	.85
P6	NR-121	Wagon type 10ft. wheelbase - Steel type	1	.74	.85
P6	NR-121B	Brake Van type roft. wheelbase - Steel type	1	.96	1.10
P6	NR-122	Wagon type 15ft. wheelbase - Steel type	1	.96	1.10
P6	NR-122B	Brake Van type 15ft. wheelbase - Steel type	1	1.00	1.15
P12	NR-100	Wheels on axies-Hardlon Mouldings	4	.48	.55
P12	NR-102	Elsie-E.L.C. couplings-Hardlon Mouldings	4	.48	.55
P6	NR-103	Coupler Lift Arms- (Furniture Removals - M... )	1 Fret of 18	.91	1.05

S	NR-45S	Cattle Truck S.R.-Dark Brown	I	1.91	2.20
S	NR-45W	Cattle Truck G.W.-Dark Grey	I	1.91	2.20
S	NR-47	Brake Van M.R.-Light Grey	I	3.61	4.15
S	NR-48M	Brake Van L.M.S.-Light Grey	I	2.17	2.50
S	NR-49E	Brake Van N.E.-Bauxite	I	2.17	2.50
<b>Railway Company - 15ft. Wheelbase</b>					
S	NR-4E	Bolster Wagon N.E.-Brown	I	1.87	2.15
S	NR-5W	Plate Wagon G.W.-Dark Grey	I	1.87	2.15
S	NR-5R	Railfreight Plate Wagon B.R.-Red	I	*	*
S	NR-7W	Tube Wagon G.W.-Dark Grey	I	1.87	2.15
S	NR-7R	Railfreight Tube Wagon B.R.-Red	I	1.87	2.15
S	NR-10S	Tarpaulin Wagon S.R.-Dark Brown	I	1.65	1.90
S	NR-11R	Railfreight Open Wagon B.R.-Red/Grey	I	2.30	2.65
S	NR-12R	Railfreight Van B.R.-Red/Grey	I	2.39	2.75
S	NR-6B	Fish Van B.R.-White	I	1.96	2.25
S	NR-9B	Parcels Van B.R.-Light Blue	I	1.96	2.25
S	NR-28B	Brake Van B.R.-Bauxite	I	2.61	3.00
S	NR-28E	Brake Van N.E.-Bauxite	I	2.61	3.00
<b>Private Owner - 10ft. Wheelbase</b>					
S	NR-P82	Mineral-5 Plank-Gresley-Bauxite	I	1.87	2.15
S	NR-P83	Mineral-5 Plank-Dunsdon-Green	I	1.87	2.15
S	NR-P90	Coal-7 Plank-Ward-Bauxite	I	1.87	2.15
S	NR-P91	Coal-7 Plank-Park End-Black	I	1.87	2.15
S	NR-P92	Coal-7 Plank-Kingsbury-Green	I	1.87	2.15
S	NR-P93	Coal-7 Plank-Hood & Son-Holly Green	I	1.87	2.15
S	NR-P100	Coal-Butterley Steel type-Charringtons-Red	I	1.87	2.15
S	NR-P111	Lime-Dowlow-Reddish Brown	I	1.96	2.25
S	NR-P112	Lime-Crawshay-Stone Colour	I	1.96	2.25
S	NR-P113	Lime-S.L.B.-Mid-Grey	I	1.96	2.25
S	NR-P120	Salt-Saxa-Yellow	I	2.09	2.40
S	NR-P121	Salt-Shaka-Bright Blue	I	2.09	2.40
S	NR-P130	Box Van-Standard type-Worthington-Brown	I	1.96	2.25
S	NR-P140	Box Van-Refrigerator type-Fyffes-Yellow	I	2.09	2.40
S	NR-P141	Box Van-Refrigerator type-Colmans-Yellow	I	2.09	2.40
S	NR-P160	Petrol Tank Wagon-Shell/BP	I	2.35	2.70
S	NR-P162	Petrol Tank Wagon-National Benzole	I	2.35	2.70
S	NR-P163	Petrol Tank Wagon-Royal Daylight	I	2.35	2.70
S	NR-P167	Milk Tank Wagon-United Dairies	I	2.35	2.70
S	NR-P168	Milk Tank Wagon-Express Dairies	I	2.35	2.70

<b>CONFLAT WITH CONTAINER</b>					
S	NR-20	Furniture Removals-G.W.R.	I	3.30	3.80
S	NR-21	Furniture Removals-L.M.S.	I	3.30	3.80
S	NR-22	Furniture Removals-B.R.	I	3.30	3.80
S	NR-P30	Raleigh Cycles	I	3.30	3.80
S	NR-P31	Lyons Tea	I	3.30	3.80
S	NR-P32	LEP Transport Depository Ltd	I	3.30	3.80

<b>Private Owner - 15ft. Wheelbase</b>					
S	NR-P53	Tank Wagon BP-Black	I	2.57	2.95
S	NR-P54	Pallet Van-British Army-Green	I	2.22	2.55
S	NR-P55	Pallet Van-Ford-Blue	I	2.22	2.55
S	NR-P56	Pallet Van-Izal-Green	I	2.22	2.55
S	NR-P67	Grain Whisky Wagon-Abbots Choice-Blue	I	2.83	3.25
S	NR-P68	Grain Whisky Wagon-John Haig-Blue	I	2.83	3.25
S	NR-P69	Grain Whisky Wagon-White Horse-Blue	I	2.83	3.25
S	NR-P70	Grain Whisky Wagon-Maltsters-Yellow	I	2.83	3.25
S	NR-P71	Tank Wagon-I.C.I. Caustic Soda (Type B Tank)	I	3.13	3.60
S	NR-P74	Tank Wagon-Rugby Cement (Type C Tank)	I	3.39	3.90
S	NR-P75	Tank Wagon-Albright & Wilson (Type C Tank)	I	3.13	3.60
S	NR-P79	Tank Wagon-Mobil LP-gas (Type D Tank)	I	3.39	3.90

## LINESIDE KITS

S	NB-5	Engine shed - brick built type	I	1.74	2.00
S	NB-6	Goods Shed - wooden type	I	1.74	2.00
S	NB-9	Small cedarwood bungalow	I	1.30	1.50
S	NB-10	Larger bungalow with garage	I	1.30	1.50
S	NB-11	Split level house	I	1.43	1.65
S	NB-12	Country station building (stone)	I	*	*
S	NB-15	Station house (stone)	I	*	*
S	NB-16	Platform shelter (stone)	I	*	*
P6	NB-26	Platform edging - brick type	5	.96	1.10
P6	NB-27	Platform edging - concrete type	5	.96	1.10
P6	NB-28	Platform edging - stone type	5	.96	1.10
P6	NB-31	Tunnel Mouth & Walls-stone type-single track	2	1.39	1.60
P6	NB-32	Tunnel Mouth & Walls-stone type-double track	2	1.52	1.75
P6	NB-33	Road Bridge sides-stone type-single track	2	1.39	1.60
P6	NB-34	Road Bridge sides-stone type-double track	2	1.52	1.75
P6	NB-38	Truss Girder Bridge sides	4	1.04	1.20
P6	NB-39	Plate Girder Bridge sides - 11.4cms (4 1/2") long	4	1.04	1.20
P2	NB-40	Stone Walling-12.7cms long x 6.3cms (5" x 2 1/2")	4	1.26	1.45
P2	NB-42	Brick Walling - Red	4	1.26	1.45
P2	NB-43	Brick Walling - Terra-cotta	4	1.26	1.45
P2	NB-44	Brick Walling - Blue	4	1.26	1.45
P6	NB-45	Flexible Field Fencing - App. 38 3/4" long	5 sprues	.96	1.10
P6	NB-46	3 Field Gates, 3 Stiles and 1 Wicket Gate		.96	1.10
P6	NB-50	Level Crossing Gates, with Wicket Gates and Fencing (4 gates)	1 set	1.17	1.35
P6	NB-51	Level Crossing Barriers with Fencing (2 barriers)	1 set	1.09	1.25
S	NB-55	Turntable	I	5.61	6.45
S	NB-80	Train Shed Unit	I	4.13	4.75

### Petite People:-

S	NP-2906	Platform and lineside-Set 1	6	1.87	2.15
S	NP-2907	Station people-Set 1	6	1.87	2.15
S	NP-2908	Station people-Set 2	6	1.87	2.15
S	NP-2909	Sitting figures	6	1.87	2.15
S	NP-2910	Platform and lineside-Set 2	6	1.87	2.15
S	NP-2911	Platform and lineside-Set 3	6	1.87	2.15

**Scenic Backgrounds and Peco Scene**  
see **FOR ALL GAUGES** section

## STOP PRESS

### NGAUGE FINESCALE CODE 55

(to match Finescale Track **SL300XX**)

R/H medium radius Point	*	*
L/H medium radius Point	*	*

### G GAUGE (45mm Narrow Gauge)

SL-900X	Flexible Track (1 yard lengths)	*	*
SL-991X	R/H 4' radius Point	*	*
SL-992X	L/H 4' radius Point	*	*
SL-910X	Metal Rail Joiners	*	*
SL-912	Plastic Joiners (to join Peco Track to L.G.B.)	*	*

### STARTER TRACK SETS

N Gauge Pack	21.30	24.50
OO Gauge Pack	21.30	24.50

**USEFUL AIDS**

**Turnout and Crossing Plans**

**SETRACK**

**The Unit trackage system**

S	STP-1	Instructional	I	FREE	FREE		
S	STP-00	Plan Book	I	1.75	1.75		
		<b>Straight Track</b>					
C36	ST-200	Standard Unit-Approx 6 5/8" long	I	.48	.55	S	
C36	ST-201	Double Unit-Approx. 13 3/16" long	I	.75	.86	S	
C36	ST-202	Short Unit-Approx. 3 1/8" long	I	.43	.49	S	
C36	ST-203	Special short unit for use with curved turnouts when forming crossings	I	.43	.49	S	
C18	ST-205	Isolating Track with Switch-App. 6 5/8" long	I	1.12	1.29	S	
		<b>Curved Track</b>					
C36	ST-220	No. 1 Radius-Standard Unit-14 5/8" rad:	I	.58	.67	S	
C24	ST-221	No. 1 Radius-Double Unit-14 5/8" rad:	I	.75	.86	S	
C36	ST-222	No. 1 Radius-Half Unit-14 5/8" rad:	I	.47	.54	S	
C36	ST-225	No. 2 Radius-Standard Unit-17 1/4" rad:	I	.61	.70	S	
C24	ST-226	No. 2 Radius-Double Unit-17 1/4" rad:	I	.78	.90	S	
C36	ST-227	No. 2 Radius-Half Unit-17 1/4" rad:	I	.47	.54	S	
		<b>Turnouts</b>					
C12	ST-240	R/H No. 2 Rad:	I	3.39	3.90	S	
C12	ST-241	L/H No. 2 Rad:	I	3.39	3.90	S	
C12	ST-242	R/H Curved Double Rad:	I	4.70	5.40	S	
C12	ST-243	L/H Curved Double Rad:	I	4.70	5.40	S	
		<b>Crossing</b>					
C12	ST-250	Medium (22 1/2" angle)	I	3.39	3.90	S	
		<b>Ballast Inlay Units</b>					
C12	ST-255	R/H Turnout	I	.63	.72	S	
C12	ST-256	L/H Turnout	I	.63	.72	S	
C12	ST-257	R/H Curved Double Rad: Turnout	I	.63	.72	S	
C12	ST-258	L/H Curved Double Rad: Turnout	I	.63	.72	S	
C12	ST-265	Crossing-Medium	I	.63	.72	S	
		<b>Accessories</b>					
S	ST-264	Level Crossing-Straight Addon track unit	I	1.56	1.80	S	
S	ST-266	Level Crossing-No. 1 curve unit, 2 ramps, 4 gates	I	2.74	3.15	S	
S	ST-268	Level Crossing-Straight unit, 2 ramps, 4 gates	I	2.74	3.15	S	
S	ST-269	Level Crossing-No. 2 curve Addon track unit	I	1.56	1.80	S	
P6	LK-51	2 Modern image barriers (see Lineside Kits)	I	1.40	1.61	S	
C12	ST-270	Buffer Stop-sleeper built type	I	.50	.58	S	
C24	ST-271	Decoupling Unit for tension lock couplings	I	.48	.55	S	
C36	ST-273	Twin Power Connecting Clips	2	.87	1.00	S	
C24	ST-280	Fixing Nails Approx. 25 gm.		.65	.75	S	
S	ST-290	Platform System-Straight Unit-Brick 2 per packet	I	1.52	1.75	S	
S	ST-291	Platform System-Straight Unit-Stone 2 per packet	I	1.52	1.75	S	
S	ST-296	Platform System-Ramp Unit-Brick 2 per packet	I	1.17	1.35	S	
S	ST-297	Platform System-Ramp Unit-Stone 2 per packet	I	1.17	1.35	S	

Motor for Turnouts, etc. see PECOLECTRICS

**STREAMLINE**

**Universal flexible trackage system-Code 100 rail**

**Track (36" 91.4cm)**

C25	SL-100GS	Wooden sleeper type-Galvanised Steel rail	I	.83	.95	S	
C25	SL-100X	Wooden sleeper type-Nickel Silver rail	I	1.22	1.40	S	
C25	SL-102GS	Concrete sleeper type-Galvanised Steel rail	I	*	*	S	
C25	SL-102B	Concrete sleeper type-Brass rail	I	1.04	1.20	S	
C25	SL-102X	Concrete sleeper type-Nickel Silver rail	I	1.22	1.40	S	

(Note) All Turnouts are made with N/S rail only

**UNIVERSAL STANDARD**

**Insulfrog and Electrofrog Turnouts**

This range is similar to those listed below but to coarser flangeways - now made only in limited quantities

Cd6	SL-41
Cd6	SL-42
S	SL-43
Cd6	SL-44
Cd6	SL-45

**FREE**

S	R-64
S	R-62FM
S	R-62PG
S	R-62BC
S	R-70GW
S	R-70D
S	R-70M
S	R-70T
S	R-70DS
S	R-70B
S	R-70DN
S	R-54B
S	R-54K
S	R-54P
S	R-54N
S	R-54H
S	R-68C
S	R-68S
S	R-68SW
S	R-58LW
S	R-58ICI
S	R-58US
S	R-58SX
S	R-58SS
S	R-58SH
S	R-72C
S	R-72F
S	R-72W
S	R-72B
S	R-72CK
S	R-72BC
S	R-72S
S	RW-70D
S	RW-70G
S	RW-54E
S	RW-54M
S	RW-54A
S	RW-68D
S	RW-58SH
S	RW-72BC

S	R-74E
S	R-74U
S	R-75RD
S	R-75S

P12	R-66BR
P12	R-66SC
P12	R-66JL
P12	R-66R
P12	R-66C

**Accessories continued**

I	Buffer Stop-sleeper built type kit	.49	.56
I	Buffer Stop-American style	*	*
I	Loco lift	4.91	5.65
2	Track section with Expansion Joints	1.65	1.90
I	A. W. S. Ramp	.65	.75

Motor for Turnouts, etc. see PECOLECTRICS

**WONDERFUL WAGON**

**BODY CARDS**

**CLEAN FINISH SERIES**

I	Conflat-1 plank-Bauxite	.48	.55
I	Low sided 3 plank Field & MacKay-Brown	.48	.55
I	Low sided 3 plank Pwllheli-Black	.48	.55
I	Low sided 3 plank Blaenavon Company	.48	.55
I	Mineral 5 plank, Garswood-Blue	.48	.55
I	Mineral 5 plank, Dunsdon-Green	.48	.55
I	Mineral 5 plank, Mendip-Grey	.48	.55
I	Mineral 5 plank, Tarmac-Black	.48	.55
I	Mineral 5 plank, Derbyshire-Black	.48	.55
I	Mineral 5 plank, Bibbington-Stone	.48	.55
I	Mineral 5 plank, Dixon-Red Oxide	.48	.55
I	Coal 7 plank, Baddesley-Black	.48	.55
I	Coal 7 plank, Kingsbury-Green	.48	.55
I	Coal 7 plank, Pinxton-Black	.48	.55
I	Coal 7 plank, Newbattle-Black	.48	.55
I	Coal 7 plank, Hood & Son-Holly Green	.48	.55
I	Lime, Crawshay-Blue	.48	.55
I	Lime, S.L.B.-Grey	.48	.55
I	Lime, South Wales-White	.48	.55
I	Grain (Salt)-Leith-Bauxite	.48	.55
I	Salt, I.C.I.-Blue	.48	.55
I	Salt, Union Salt-Grey	.48	.55
I	Salt, Saxa-Yellow	.48	.55
I	Salt, Stafford-Red	.48	.55
I	Salt, Shaka-Blue	.48	.55
I	Box Van, Colmans-Yellow	.48	.55
I	Box Van, Fyffes-Yellow	.48	.55
I	Box Van, Worthington-Brown	.48	.55
I	Box Van, Bass-Grey	.48	.55
I	Box Van, Carricks-Black	.48	.55
I	Box Van, Blue Circle-Yellow	.48	.55
I	Box Van, new type-J. & W. Stuart-mahogany	.48	.55

**WEATHERED FINISH SERIES**

I	Mineral 5 plank Dixon-Oxide	.48	.55
I	Mineral 5 plank Garswood-Blue	.48	.55
I	Coal 7 plank Emlyn-Green	.48	.55
I	Coal 7 plank Moseley-Grey/red	.48	.55
I	Coal 7 plank Anderson & Co.-Brown	.48	.55
I	Lime, Dowlow-Reddish/Brown	.48	.55
I	Salt, Shaka-Blue	.48	.55
I	Box Van, Blue Circle-Yellow	.48	.55

**Mk.IV KITS**

*	Milk Tank Wagon-Express Dairies	*	*
*	Milk Tank Wagon-United Dairies	*	*
I	Petrol Tank Wagon - Royal Daylight	*	*
I	Petrol Tank Wagon - Shell/BP	*	*

**CONTAINER KITS**

**Printed Card**

I	Container, British Rail-Bauxite	.26	.30
I	Container, Silver Cross-Blue	.26	.30
I	Container, Lyons-Dark Blue	.26	.30
I	Container, Raleigh-Green	.26	.30

UNIVERSAL SUPER Insulfrog Turnouts			
S	SL-84XX	R/H Catch	1 2.39 2.75
S	SL-85XX	L/H Catch	1 2.39 2.75
S	SL-97XX	Y-small radius	1 3.70 4.25
S	SL-98XX	Y-large radius	1 4.22 4.85
S	SL-91XX	R/H small radius	1 3.61 4.15
S	SL-92XX	L/H small radius	1 3.61 4.15
S	SL-95XX	R/H medium radius	1 4.17 4.80
S	SL-96XX	L/H medium radius	1 4.17 4.80
S	SL-88XX	R/H large radius	1 4.65 5.35
S	SL-89XX	L/H large radius	1 4.65 5.35
S	SL-86XX	R/H curved double radius	1 4.74 5.45
S	SL-87XX	L/H curved double radius	1 4.74 5.45
S	SL-90XX	Double Slip (12° angle)	1 13.04 15.00
S	SL-99XX	3 Way Medium radius	1 10.09 11.60
<b>Crossings</b>			
S	SL-93XX	Short (24° angle)	1 3.39 3.90
S	SL-94XX	Long (12° angle)	1 3.91 4.50
<b>UNIVERSAL SUPER Electrofrog Turnouts</b>			
S	SL-E97XX	Y-small radius	1 3.78 4.35
S	SL-E98XX	Y-large radius	1 4.30 4.95
S	SL-E91XX	R/H small radius	1 3.70 4.25
S	SL-E92XX	L/H small radius	1 3.70 4.25
S	SL-E95XX	R/H medium radius	1 4.26 4.90
S	SL-E96XX	L/H medium radius	1 4.26 4.90
S	SL-E88XX	R/H large radius	1 4.74 5.45
S	SL-E89XX	L/H large radius	1 4.74 5.45
S	SL-E86XX	R/H curved double radius	1 4.83 5.55
S	SL-E87XX	L/H curved double radius	1 4.83 5.55
S	SL-E99XX	3 Way medium radius	1 10.17 11.70
C	SL-105	Wooden sleeper type-Nickel Silver rail	1 * *
C	SL-106	Concrete sleeper type-Nickel Silver rail	1 * *
<b>FINE SCALE flexible trackage system-Code 75 rail</b>			
S	SLE-195	R/H medium radius	1 * *
S	SLE-196	L/H medium radius	1 * *
<b>BALLAST INLAY UNITS</b> suitable for Universal and Fine Scale			
S	SL-50	Track Rolls 5 metres	2 2.57 2.95
S	SL-61	R/H Catch	2 1.09 1.25
S	SL-62	L/H Catch	2 1.09 1.25
S	SL-53	Y-small rad:	2 1.43 1.65
S	SL-68	Y-large rad:	2 1.43 1.65
S	SL-51	R/H small rad:	2 1.43 1.65
S	SL-52	L/H small rad:	2 1.43 1.65
S	SL-59	R/H med: rad:	2 1.43 1.65
S	SL-60	L/H med: rad:	2 1.43 1.65
S	SL-55	R/H large rad:	2 1.43 1.65
S	SL-56	L/H large rad:	2 1.43 1.65
S	SL-66	R/H curved	2 1.43 1.65
S	SL-67	L/H curved	2 1.43 1.65
S	SL-58	Double Slip	2 1.43 1.65
S	SL-69	3 Way Medium rad:	2 1.61 1.85
S	SL-54	Short Crossing	2 1.43 1.65
S	SL-57	Long Crossing	2 1.43 1.65
<b>ACCESSORIES</b>			
Cd12	SL-10X	Rail Joiners-Nickel Silver for Code 100 rail	24 .65 .75
Cd12	SL-10B	Rail Joiners-Brass for Code 100 rail	24 .42 .48
Cd12	SL-11	Rail Joiners-Insulated for Code 100 rail	12 .65 .75
Cd12	SL-110	Rail Joiners-Nickel Silver for Code 75 rail	1 * *
Cd12	SL-111	Rail Joiners-Insulated and Code 82	1 * *
Cd12	SL-14	Pins for fixing track and turnouts 7gm. (1/32)	1 .39 .45
Cd6	SL-17	Stud Contact Strip-Track 182.8cm. (6ft.)	1 .97 1.12
Cd6	SL-18	Stud Contact Strip-Turnouts, etc. 121.9cm. (4ft.)	1 .97 1.12
Cd6	SL-29	Decouplers-Rovex/Hornby Type RH	2 .72 .83
Cd6	SL-30	Decouplers-Peco Type A/H.D. (FOR ORIGINAL	2 .43 .50
Cd6	SL-31	Decouplers-Peco Type T SIMPLEX	2 .43 .50
Cd6	SL-32	Magni-Simplex Decoupler	1 1.04 1.20
Bag 24	SL-36	6ft. Way Gauge	1 .05 .06
Cd6	SL-40	Buffer stop-rail built type kit	1 .36 .41

## UNDERFRAME KITS & ACCESSORIES

P12	R-3	Magni-Simplex Auto Coupler and screw Mk III	2 1.09 1.25
P6	R-4	Anita tension lock coupler	2 * *
P6	R-5	Insulaxles, type A/C	2 .65 .75
P12	R-8	Washers OO/6-Fibre	Approx: 50 .46 .53
P12	R-9	Washers OO/O/8-Fibre	Approx: 50 .46 .53
P12	R-30	Bearings-Brass	Approx: 50 .46 .53
P6	R-28	Fitted Stock Set	1 .35 .40
P6	R-6	Coke Extension Board Kit	1 .58 .67
<b>Wonderful Wheels and Bearings</b>			
P6	R-10	Spoked Wagon Wheels 12mm. dia.	Mldgs 4 .83 .95
P6	R-11	Disc Wagon Wheels (3 hole) 12mm. dia.	Mldgs 4 .72 .83
P6	R-12	Disc Coach Wheels (2 hole) 14 mm. dia.	Mldgs 4 .72 .83
P6	R-13	Mansell Coach Wheels 14 mm. dia.	Mldgs 4 .72 .83
P6	R-15	Bearings-Short type (for above wheels-plastic)	Approx: 25 .61 .70
P6	R-18	Tender Wheels 16mm. dia... ...Use brass bearings - R-30	Mldgs 3 .65 .75
<b>LINESIDE KITS</b>			
P6	LK-1	Water Tower	1 1.22 1.40
P6	LK-2	Water Crane	2 .70 .80
P6	LK-3	Coal Staithes	2 .96 1.10
P6	LK-4	Platelayers Hut	1 .84 .97
P6	LK-5	Coal Office	1 .84 .97
P6	LK-6	Bookstall	1 1.28 1.47
Bx6	LK-10	Plate Girder Bridge Sides	2 1.28 1.47
Bx6	LK-11	Truss Girder Bridge Sides	2 1.28 1.47
S	LK-12	Country Station Building (Brick)	1 * *
S	LK-13	Country Station Building (Stone)	1 * *
S	LK-14	Station House (Brick)	1 3.03 3.49
S	LK-15	Station House (Stone)	1 3.03 3.49
S	LK-16	Platform Shelter & Hut (Timber)	1 3.00 3.45
S	LK-17	Platform Shelter & Hut (Brick)	1 3.00 3.45
S	LK-20	Overall Roof	1 5.13 5.90
P6	LK-21	Chocolate Machines (in red and green)	6 .64 .74
P6	LK-22	Weighing Machines (2 Personnel, 2 Parcel)	4 .55 .63
P6	LK-23	Milk Churns	24 .73 .84
P6	LK-24	Packing Cases	1 each of 6 sizes .73 .84
P6	LK-25	Platform Seats	12 .84 .97
P12	LK-31	Tunnel Mouth & Walls-stone type-single track	1 1.28 1.47
P12	LK-32	Tunnel Mouth & Walls-stone type-double track	1 1.79 2.06
P12	LK-33	Road Bridge sides-stone type-single track	1 1.79 2.06
P12	LK-34	Road Bridge sides-stone type-double track	1 1.96 2.25
P6	LK-40	Stone Walling - 19.1cms x 25.4cms (7/8" x 10")	1 .84 .97
P6	LK-45	Flexible Field Fencing-approx: 42" long	5 sprues .94 1.08
P6	LK-46	2 Field Gates, 2 Stiles and 1 Wicket Gate	1.28 1.47
P6	LK-50	Level Crossing Gates with wicket gates and fencing (4 gates)	1 set 1.54 1.77
P6	LK-51	Level Crossing Barriers with fencing (2 barriers)	1 set 1.40 1.61
S	LK-55	Turntable	* *
P6	LK-60	Platform edging-Brick type	5 1.59 1.83
P6	LK-61	Platform edging-Stone type	5 1.59 1.83
P6	LK-66	Platform edging-Ramps-Brick type	2 prs. .77 .88
P6	LK-67	Platform edging-Ramps-Stone type	2 prs. .77 .88
P6	LK-78	Kit 1-Doors & Windows, etc.	1.38 1.59
P6	LK-79	Kit 2-Roofs, etc.	1.38 1.59
S	LK-80	Diesel Maintenance Depot	1 * *
S	LK-81	Office Buildings	1 4.07 4.68
S	LK-82	Goods Depot	1 3.56 4.10
S	LK-83	Signal Box	1 3.48 4.00

## PRINTED CARD KITS

<b>Coach Interiors</b>			
S	No. 13	Corridor/Compo.	1 .19 .22
S	No. 14K	Corridor/2nd.	1 .19 .22
S	No. 14SO	Corridor/Open	1 .19 .22
S	No. 15	Corridor/Brake 2nd.	1 .19 .22
<b>Bridge Kits</b>			
S	SK-1	Bridge-2 Arch type	1 .32 .37

# PECO GREAT LITTLE TRAINS

## N-6.5

### STREAMLINE

The Universal flexible trackage system

			A £p	B £p
Cd12	SL-200X	Wooden sleeper type, Nickel/S rail	1	1.49
Cd12	SL-210X	Rail Joiners - Nickel Silver	24	.60
		<b>Ballast Inlay</b>		
S	SL-250	Track Roll	5 metres	2.41
		Marklin Point Shapes (see Z gauge)		2.77

### LOCOMOTIVE BODY KITS

White metal castings

S	NG-651	0-6-0 Tram Locomotive	1	5.61	6.45
S	NG-652	0-6-0 Saddle Tank	1	5.61	6.45

### ROLLING STOCK

Metal and Plastic

	NG-624	Open Wagon	1	*	*
	NG-625	Box Van	1	*	*

## 00-9

### USEFUL AIDS

Turnout and Crossing Plans

FREE FREE

### STREAMLINE

The Universal flexible trackage system

			A £p	B £p	
C25	SL-400X	Wooden (Crazy) sleeper type N/S rail	1 x 45.7cm. (1 x 18")	.73	.84
		<b>Turnouts N/S rail</b>			
S	SL-E491X	R/H 12" rad: Electrofrog	1	3.43	3.95
S	SL-E492X	L/H 12" rad: Electrofrog	1	3.43	3.95
S	SL-E497X	Y 18" rad: Electrofrog	1	3.43	3.95
		<b>Accessories</b>			
Cd12	SL-310X	Rail Joiners-Nickel Silver	Approx: 24	.55	.63
Cd12	SL-311	Rail Joiners-Insulated	12	.55	.63
Cd12	SL-14	Pins for fixing track and turnouts	7gm. (1/4 oz.)	.39	.45
Cd6	SL-427	Wagon Turntable	1	.35	.40
Cd6	SL-428	Turnout Lever-Dummy	2	.43	.49
Cd6	SL-430	Decoupler	2	.35	.40
Cd6	SL-440	Buffer Stop	2	.43	.49

Motor for Turnouts, Switches etc.  
see PECO ELECTRICS section

### LOCOMOTIVE BODY KITS

White metal castings

S	GL-1	0-6-0 or 0-4-0 Side tank-Jeanette	1	7.04	8.10
S	GL-2	0-6-0 or 0-4-0 Saddle tank-James	1	7.04	8.10
S	GL-3	0-6-0 or 0-4-0 Vari-kit	1	8.09	9.30
S	GL-6	0-6-0 Tram Locomotive	1	7.39	8.50

Accessory

P12	GR-101	Coupler Kit	4	1.26	1.45
		See P.P.P. list for Loco & Rolling Stock			
		Lineside Kits - As for HO/OO gauge			

## 0-16.5

### STREAMLINE

The Universal flexible trackage system

			A £p	B £p	
C12	SL-500X	Wooden (Crazy) sleeper type N/S rail	1	1.61	1.85
Cd12	SL-10X	Rail Joiners-Nickel Silver	24	.65	.75
Cd12	SL-11	Rail Joiners-Insulated	12	.65	.75

### CONTENTS OF PACK

A  
£p

B  
£p

Cd6	SL-740	Buffer Stop-Rail built type	1	.56	.65
Cd12	SL-10X	Rail Joiners-Nickel Silver	Approx: 24	.65	.75
Cd12	SL-11	Rail Joiners-Insulated	12	.65	.75
Cd12	SL-14	Pins for fixing track and turnouts	7gm. (1/4 oz.)	.39	.45
Cd6	SL-701	Sleeper for turnouts	Approx: 20	.76	.88
Cd6	SL-702	Chairs-running rail	Approx: 100	1.39	1.60
Cd6	SL-703	Chairs-slide rail	Approx: 50	.65	.75
S	SL-704X	Rail-Nickel Silver	6 x 91.4cm. (6x36")	3.96	4.55
S	SL-704S	Rail-Bright Coated Steel	6 x 91.4cm. (6x36")	2.35	2.70
S	SL-706X	Frog Rails and Wing Rails	Pairs	1.04	1.20
Cd6	SL-708	Turnout blades and brackets	2	1.48	1.70

### CONTENTS OF PACK

A  
£p

B  
£p

### Accessories

Buffer Stop-Rail built type

Rail Joiners-Nickel Silver

Rail Joiners-Insulated

Pins for fixing track and turnouts

Sleeper for turnouts

Chairs-running rail

Chairs-slide rail

Rail-Nickel Silver

Rail-Bright Coated Steel

Frog Rails and Wing Rails

Turnout blades and brackets

### WONDERFUL WAGON KITS

S	W-601	G.W.R. Toad-16 Ton Brake Van	1	13.70	15.75
S	W-602	G.W.R. Permanent Way Brake Van	1	13.70	15.75
S	W-603	G.W.R. 24 Ton Six Wheel Brake Van	1	18.26	21.00
S	W-604	G.W.R. 10 Ton-4 Plank Open Wagon	1	11.52	13.25
S	W-605	G.W.R. 8 Ton Permanent Way Steel type Open Wagon	1	11.52	13.25
S	W-606	G.W.R. 10 Ton Ventilated Box Van	1	14.35	16.50
S	W-607	16 Ton Steel Mineral	1	*	*
S	W-608	27 Ton Ironstone Tippler	1	*	*

### WAGON ACCESSORIES

S	RO-1	Wagon Wheels and Bearings		2.17	2.50
S	RO-2	G.W.R. Parallel Shank Buffers & Couplings		2.09	2.40
S	RO-3	G.W.R. Tapered Shank Buffers & Couplings		2.09	2.40
S	RO-4	3 Link Couplings & Hooks		1.52	1.75
S	RO-5	Instanter Couplings & Gedge Hooks		1.52	1.75
S	RO-6	Dean Churchward Vacuum Brake Fittings & Pipes		1.30	1.50

### LINESIDE KITS

P6	LK-745	Flexible Field Fencing - approx 23 1/2" long	5 pieces	1.26	1.45
P6	LK-746	Field Gates	2	.96	1.10
P6	LK-731	Tunnel Mouth & Walls-stone type-single track	1	4.61	5.30
P6	LK-732	Tunnel Mouth & Walls-stone type-double track	1	5.09	5.85
P6	LK-733	Road Bridge sides & Walls-stone type-single track	1	4.78	5.50
P6	LK-734	Road Bridge sides & Walls-stone type-double track	1	5.35	6.15
S	LK-751	Milk Churns	6	2.83	3.25
S	LK-752	Porters Trolley & Luggage	1 set	2.91	3.35
S	LK-753	4 Wheel Platform Trolley	1	2.26	2.60
S	LK-754	Sweet Machine & Chocolate Machine	1 set	3.30	3.80
S	LK-755	Ticket, Weighing & Label Machines	1 set	3.65	4.20
S	OP-10	Passengers	6	4.35	5.00
S	OP-11	Workmen with tools	6	4.35	5.00

## PECO 1

### STREAMLINE

The Universal flexible trackage system

			A £p	B £p	
C12	SL-800X	Wooden sleeper type-Nickel Silver rail	1	3.70	4.25
Cd6	SL-810X	Rail Joiners - Nickel Silver	24	1.17	1.35
		<b>Parts for turnouts</b>			
Cd6	SL-801	Sleepering	15	1.39	1.60
Cd6	SL-802	Rail Fixings	Approx: 100	2.04	2.35
Cd6	SL-803	Slide Rail Fixings	Approx: 50	2.04	2.35
S	SL-806X	Frog Rails and Wing Rails	Pairs	1.52	1.75
S	SL-808X	Turnout Blades	Pair	1.70	1.95
S	IL-8X	Code 200 Nickel Silver rail-bullhead	6 x 91.4cm	6.61	7.60

## PECO FOR ALL GAUGES

### PECOLECTRICS

For Peco Setrack and Peco Streamline all gauges

Motor (Switch Machine) for operating

S	SL-E597X	Turnout N/S rail				
P6	SL-501	Y Electrofrog Sleeping for converting Setrack & Streamline Turnouts for use with O-16.5 track - 4 7/8" long	I	4.56	5.25	
		Motor for Turnouts, Switches, etc. see PECOLECTRICS section	10	1.17	1.35	

## LOCOMOTIVE BODY KITS

S	OL-1	White metal castings 0-6-0 Tram Locomotive	I	*	*	
S	OL-2	0-4-2 Fletcher Jennings Saddle Tank	I	21.00	24.15	
S	OL-3	0-4-0 Hunslet Quarry Engine	I	21.00	24.15	

## ROLLING STOCK

Coach Kits with painted and lined bodies

<b>Plastic and Metal</b>						
S	OR-31	4 Wheel Coach/Brake Maroon livery	I	7.43	8.55	
S	OR-32	4 Wheel Coach/Brake Green livery	I	7.43	8.55	
<b>Wagon Kits - White Metal castings</b>						
S	OR-20	4 Ton Mineral	I	4.35	5.00	
S	OR-21	2 Ton Flat	I	3.35	3.85	
S	OR-22	2 Ton Bolster	I	3.74	4.30	
S	OR-23	1 Ton Slate	I	3.74	4.30	
S	OR-24	4 Wheel Open	I	3.83	4.40	
S	OR-25	4 Wheel Box Van	I	4.61	5.30	} Plastic and metal
S	OR-28	Side Tip Wagon	I	4.61	5.30	
<b>Chassis</b>						
Bag 4	OR-40	Wagon Chassis - Plastic	I	2.22	2.55	
Bag 4	OR-41	Coach Chassis - Plastic	I	2.22	2.55	
<b>Lineside Kits - As for O gauge</b>						

## SM-32

## STREAMLINE

The Universal flexible trackage system

<b>Track (36" 91.4cm)</b>						
C12	SL-600X	Wooden (Crazy) sleeper type, Nickel Silver rail	I	3.26	3.75	
Cd6	SL-810X	Rail Joiners - Nickel Silver	24	1.17	1.35	
<b>Turnout N/S rail</b>						
S	SL-E697X	Y Electrofrog	I	18.26	21.00	
<b>Parts for turnouts</b>						
Cd6	SL-801	Sleeping	15	1.39	1.60	
Cd6	SL-802	Rail Fixings	Approx: 100	2.04	2.35	
Cd6	SL-803	Slide Rail Fixings	Approx: 50	2.04	2.35	
S	SL-806X	Frog Rails and Wing Rails	Pairs	1.52	1.75	
S	SL-808X	Turnout Blades	Pair	1.70	1.95	
S	IL-8X	Code 200 Nickel Silver rail-bullhead	6 x 91.4cm	6.61	7.60	
Turnout Templates - (write to Peco Technical Advice Bureau for details).						



## USEFUL AIDS

Turnout and Crossing Plans

FREE FREE

## STREAMLINE

The Universal flexible trackage system

<b>Track (36" 91.4cm)</b>						
C12	SL-700X	Wooden sleeper type-N/S rail	I	2.39	2.75	
C12	SL-700S	Wooden sleeper type-Steel rail	I	1.91	2.20	
<b>Turnouts N/S rail</b>						
S	SL-784X	R/H Catch	I	8.17	9.40	
S	SL-785X	L/H Catch	I	8.17	9.40	
S	SL-E797X	Y medium rad: Electrofrog	I	16.09	18.50	
S	SL-E791X	R/H med: rad: Electrofrog	I	16.09	18.50	
S	SL-E792X	L/H med: rad: Electrofrog	I	16.09	18.50	
<b>Crossing</b>						
S	SL-E794X	Long (8° angle) Insulfrog	I	18.39	21.15	

P6	PL-12	Motor Adaptor fitted with over-centre spring for other Turnouts	I	.61	.70	
P6	PL-13	Accessory Switch for fitting to motor PL-10	I	1.00	1.15	
P6	PL-14	Turnout Motor (Switch machine)-side mounting	I	*	*	
P6	PL-16B	Switch for operating Motor - Black	I	1.70	1.95	
P6	PL-16W	Switch for operating Motor - White	I	1.70	1.95	
P6	PL-16Y	Switch for operating Motor - Yellow	I	1.70	1.95	
P6	PL-16R	Switch for operating Motor - Red	I	1.70	1.95	
P6	PL-17	Probe for operating Motor	I	.94	1.08	
P6	PL-18	Studs and Tag Washers for Probe	25	1.09	1.25	
P6	PL-19	Locomotive Isolating Switch	I	*	*	
P6	PL-20	Track Isolating Switch	I	.74	.85	
P6	PL-25	Electro-Magnetic Decoupler-N gauge	I	1.73	1.99	
S(10)	PL-30R	Grain of Wheat Bulbs - Red	I	.56	.65	
S(10)	PL-30G	Grain of Wheat Bulbs - Green	I	.56	.65	
S(10)	PL-30Y	Grain of Wheat Bulbs - Yellow	I	.56	.65	
S(10)	PL-30C	Grain of Wheat Bulbs - Clear	I	.56	.65	
P6	PL-39	Test Probe and Bulb	I	*	*	
P6	PL-40	Wheel Cleaning Brush and Scraper	I	2.35	2.70	
P6	PL-41	Rail Cleaner - abrasive rubber	I	.70	.80	
P4	PL-63X	Peco Electroclean degreasing fluid	I	2.61	3.00	
P5	PL-64X	Peco Electrolube liquid lubricant cleaner	I	1.56	1.80	
S	PL-70	Loco Servicing Cradle - N, HO/OO & OO-9	I	2.26	2.60	

## PECO SCENE

Scenic Materials for all Model Landscapes

Scatter Materials:

S	PS-1	Road Grey	I	.42	.48	
S	PS-3	Path Grey	I	.42	.48	
S	PS-5	Dark Earth	I	.42	.48	
S	PS-7	Light Earth	I	.42	.48	
S	PS-9	Moorland Grass	I	.42	.48	
S	PS-11	Meadow Grass	I	.42	.48	
S	PS-13	Spring Grass	I	.42	.48	
S	PS-15	Mustard Field	I	.42	.48	
S	PS-17	Poppy Field	I	.42	.48	
S	PS-19	Flower Field	I	.42	.48	
<b>Lichen:</b>						
S	PS-21	Spring Tree and Hedge Foliage	I	.83	.95	
S	PS-23	Autumn Tree and Hedge Foliage	I	.83	.95	
<b>Ballast:- (OO or N)</b>						
S	PS-26	Extra Fine Granite	I	.42	.48	
<b>Ballast Coarse:- (O)</b>						
S	PS-33	Mid Grey	I	.46	.53	
S	PS-35	Dark Brown	I	.46	.53	
<b>Cork Products:-</b>						
S	PS-37	Rock Face	I	.87	1.00	
S	PS-39	Boulders	I	*	*	
S	PS-41	Imitation Coal	I	.63	.73	

## SCENIC BACKGROUNDS

Can be used in any order. Connect with each other.

Also for perspective modelling from N to O gauges.

Small. Size 17.8cm. x 34cm.

P6	SK-61	Mountain Lake	I	.30	.35	
P6	SK-62	Country Landscape	I	.30	.35	
P6	SK-65	Village with Pond	I	.30	.35	
P6	SK-66	Town-Provincial	I	.30	.35	
<b>Medium. Size 17.8cm. x 55.9cm.</b>						
P6	SK-31	Mountain Lake	I	.35	.40	
P6	SK-32	Country Landscape	I	.35	.40	
P6	SK-33	Mountainous Landscape	I	.35	.40	
P6	SK-34	Conversion Landscape	I	.35	.40	
P6	SK-35	Village with Pond	I	.35	.40	
P6	SK-36	Town-Provincial	I	.35	.40	

		Scenic Backgrounds continued	CONTENTS OF PACK	A £p	B £p
		Medium. Size 17.8cm. x 55.9cm.			
P6	SK-37	City Centre	1	.35	.40
P6	SK-38	City Extensions	1	.35	.40
P6	SK-40	Dock Centre	1	.35	.40
P6	SK-41	Dock Extensions	1	.35	.40
P6	SK-43	Country/Seascape	1	.35	.40
P6	SK-44	Country with River	1	.35	.40
P6	SK-45	Old Industrial Town - Centre	1	.35	.40
P6	SK-46	Old Industrial Town - Extensions	1	.35	.40
		Large. Size 23.2cm. x 73.6cm.			
P6	SK-11	Mountain Lake	1	.40	.46
P6	SK-12	Country Landscape	1	.40	.46
P6	SK-13	Mountainous Landscape	1	.40	.46
P6	SK-14	Conversion Landscape	1	.40	.46
P6	SK-15	Village with Pond	1	.40	.46
P6	SK-16	Town-Provincial	1	.40	.46
P6	SK-17	City Centre	1	.40	.46
P6	SK-18	City Extensions	1	.40	.46
P6	SK-19	Sky Background (Cumulus Cloud)	1	.40	.46
P6	SK-20	Dock Centre	1	.40	.46
P6	SK-21	Dock Extensions	1	.40	.46
P6	SK-23	Country/Seascape	1	.40	.46
P6	SK-24	Country with River	1	.40	.46
P6	SK-25	Old Industrial Town - Centre	1	.40	.46
P6	SK-26	Old Industrial Town - Extensions	1	.40	.46
P6	SK-28	Sky Background (Clear)	1	.40	.46

## PECO INDIVIDUALY

see **FOR ALL GAUGES** section Miscellaneous track components suitable for use by the enthusiast when constructing trackage to various gauges

### Rails

S	IL-1X	Code 60 Nickel Silver-Flat bottom	6 x 60.9 cm	2.13	2.45
S	IL-2X	Code 75 Nickel Silver-Bullhead	6 x 91.4 cm	2.61	3.00
S	IL-3X	Code 75 Nickel Silver-Flat bottom	6 x 91.4 cm	2.61	3.00
S	IL-4X	Code 80 Nickel Silver-Flat bottom	6 x 91.4 cm	2.13	2.45
S	IL-5X	Code 100 Nickel Silver-Flat bottom	6 x 91.4 cm	3.00	3.45
S	IL-5S	Code 100 Bright Coated Steel-Flat bottom	6 x 91.4 cm	1.70	1.95
S	SL-704X	Code 124 Nickel Silver-Bullhead	6 x 91.4 cm	3.96	4.55
S	SL-704S	Code 124 Bright Coated Steel-Bullhead	6 x 91.4 cm	2.35	2.70
S	IL-8X	Code 200 Nickel Silver-Bullhead	6 x 91.4 cm	6.61	7.60
S	IL-9X	Code 250 Nickel Silver-Flat bottom	6 x 91.4 cm	12.17	14.00
S	IL-9A	Code 250 Aluminium-Flat bottom	6 x 91.4 cm	7.83	9.00

### Parts for Track

P6	IL-11	Rail Nails	Approx: 500	.76	.87
P6	IL-13	Spikes-chemically blackened steel	28 gm. (1 oz)	.65	.75
P12	IL-20X	Fishplates for F.B. rails-N/S	25	.48	.55
P12	IL-21X	Fishplates for Bullhead rails	25	.48	.55
P6	IL-120	Conductor rail chairs for Code 60 rail		1.52	1.75

### Parts for Turnouts

P6	IL-71	Sleeper Turnout Units 1/32" thick			
		Fibre-OO Universal	2	.25	.29
P6	IL-61	Turnout Blades for use with Code 80 rail	4	.39	.45

### FINE SCALE TRACK COMPONENTS

#### for 18.2 and 18.83 Gauges

P6	IL-111	Wooden type sleepers	Approx: 96	.70	.80
P6	IL-112	"PANDROL" Rail Fixings	Approx: 200	1.39	1.60
P6	IL-113	Slide Rail Base plates		1.13	1.30
P6	IL-114	Turnout Timbers		1.09	1.25
S	IL-115X	Code 82 Flat bottom rail	6 x 91.4 cm	2.61	3.00
S	IL-116	Stainless Steel Track Gauge	1	.96	1.10

## PECO PUBLICATIONS

		QUANTITY	A £p	B £p
<b>MAGAZINES</b>				
S	PB-100	Railway Modeller-Monthly	1	1.10
S	PB-101	Continental Modeller	1	1.10
<b>BOOKLETS</b>				
<b>INSTRUCTIONALS</b>				
S	IN-1	Setrack Planbook - N Revised	1	.60
S	STP-OO	Peco Setrack Plan Book-OO/HO	1	1.75
<b>SHOWS YOU HOW - SERIES No. 1</b>				
S	1	Wiring the Layout	1	.15
S	2	Building the Baseboard	1	.15
S	3	Planning the Layout	1	.15
S	7	Point and Signal Control	1	.15
S	10	Turntables and Traversers	1	.15
S	12	Signalling the Layout	1	.15
S	13	Modelling the Landscape	1	.15
<b>SHOWS YOU HOW - SERIES No. 2</b>				
S	1	Planning the Layout	1	*
S	3	Laying the Track	1	.20
S	4	Model Railway Terminology	1	.20
S	5	Modelling the Background	1	.20
S	6	Making a Start	1	.20
<b>BOOKS</b>				
<b>SHOWS YOU HOW - PAPERBACK</b>				
S	PB-8	Starting in Scale OO	1	.75
S	PB-22	A Home for your Railway	1	.55
S	PB-3	60 Plans for Small Railways	1	.75
S	PB-15	Plans for Larger Layouts	1	.75
S	PB-35	Track Plans for Larger Layouts	1	*
S	PB-36	Track Plans	1	.75
S	PB-40	Ericplans (Combined)	1	1.10
S	PB-50	Downesplans (1)-Country Buildings	1	1.20
S	PB-51	Downesplans (2)-Railway Buildings	1	1.35
S	PB-52	Downesplans (3)-More Country Buildings	1	1.35
S	PB-53	Where to put them-Signals		*
S	PB-24	Beer Heights Light Railway	1	.25
S	PB-38	My Life on the Footplate	1	*
S	PB-60	Railways in the Garden	1	1.65
S	PB-61	The Great Little Trains	1	*
S	PB-62	Orion and the Golden Arrow (Revised)	1	.60
S	PB-63	Peco Book of Model Buildings	1	3.95
S	PB-64	The Modeller Book of Narrow Gauge	1	2.50
S	PB-65	One Man's Model Railway		*
<b>HARDBACK</b>				
S	PH-200	Railway Stations-Southern Region	1	4.50
S	PH-203	Period Railway Modelling-Buildings	1	2.25
S	PH-205	Rails in the Fells	1	6.95
S	PH-206	Narrow Gauge Adventure	1	5.95
For other Books see PPP price list.				
<b>CATALOGUES</b>				
		Peco Products Z, N, HO/OO, OO-9, O-16.5, SM-32 & 1 Gauges with supplement and price list	1	1.15
		P.P.P. Model Railway Products (Revised)	1	1.15
<b>CORDEX BINDERS</b>				
S	Post Extra	For Railway Modeller with date panels		
S	Post Incl.	For Shows you How booklets		
Obtainable from Peco Technical Advice Bureau.				
For price see Railway Modeller adverts.				